ISSN: 3144-5055

International Journal of Advanced Pharmaceutical and Healthcare

2026, Vol. 1, No. 4, 17–24

www.ijaph.com

Scan to view this Article

Research Article

Viruddha Ahara: Classical Concept and Contempory Relevance

Dr. Samiksha Sanjeev Naik*[1], Dr. Basil Cardozo[2], Dr. Bishnupriya Mohanty[3]

[1]PG Scholar, Department of *Kayachikitsa*, GAM&RC, Shiroda, Goa.
[2]Head of Department, Department of *Kayachikitsa*, GAM&RC, Shiroda, Goa.
[3]Professor, Head of Department, *Sanskrit Samhita and Siddhant*, GAM&RC, Shiroda, Goa.

***Corresponding Author: Dr. Samiksha Sanjeev Naik**
PG Scholar, Department of *Kayachikitsa*, GAM&RC, Shiroda, Goa.
DOI: https://doi.org/10.5281/zenodo.23839313

Article Info:-

Received: 13 September 2026
Revised: 04 October 2026
Accepted: 25 October 2026

How to cite this Article:

Dr. Samiksha Sanjeev Naik, Dr. Basil Cardozo, Dr. Bishnupriya Mohanty (2026) Viruddha Ahara: Classical Concept and Contempory Relevance. *International Journal of Advanced Pharmaceutical and Healthcare*, 1(4), 17–24.

ABSTRACT

Viruddha Ahara (incompatible diet) is a distinctive *Ayurvedic* concept in which incompatibility is not restricted to the combination of two food substances but may arise from inappropriate place, time, quantity, processing, potency, sequence, individual suitability and method of consumption. Classical *Ayurvedic* texts describe *Viruddha Ahara* as a factor capable of disturbing *Dosha*, *Agni* and *Dhatu* equilibrium and associate its continued consumption with several systemic disorders, including *Kushtha* and other skin manifestations. The present review critically examines the classical description of *Viruddha Ahara* and evaluates its relevance in contemporary dietary practices. Eighteen varieties of *Viruddha Ahara* described by *Charaka* are discussed along with relevant examples and their possible clinical implications. Particular emphasis is placed on the proposed relationship between *Viruddha Ahara*, *Agni*, *Ama*, *Rakta* and skin health. Contemporary evidence suggests that food composition, processing, food matrix, quantity and combinations can influence digestion, nutrient bioavailability and metabolic responses; however, these observations cannot be considered direct proof of classical *Viruddha Ahara* mechanisms. Available dermatological evidence is limited and predominantly observational, while experimental evidence remains preliminary. Therefore, *Viruddha Ahara* may be considered a clinically relevant framework for individualized dietary assessment rather than a universal list of prohibited food combinations.

KEYWORDS: *Viruddha Ahara*; Incompatible diet; *Agni*; *Ama*; Skin diseases; *Ayurveda*.

INTRODUCTION

Ahara (food) is regarded in *Ayurveda* as one of the principal supports of life and health. Classical *Ayurvedic* literature repeatedly emphasizes that food contributes not only to nourishment but also to the maintenance of *Dosha*, *Dhatu* and *Agni* equilibrium. The quality, quantity, timing, preparation and suitability of food therefore become important determinants of health. The concept of *Viruddha Ahara* represents one of the most comprehensive expressions of this principle.[1,2]

The term *Viruddha* denotes opposition or incompatibility. In the *Ayurvedic* context, incompatibility does not necessarily imply that a food is inherently toxic. A food may become incompatible because of its combination with another substance, its method of preparation, inappropriate quantity, unsuitable time or place, individual digestive capacity, habitual adaptation or the condition of the individual consuming it.[1-5]

Charaka describes *Viruddha Ahara* in the context of dietary factors capable of disturbing the normal relationship between food, *Dosha*, *Dhatu* and *Agni*. Such food may promote *Dosha* vitiation without adequate elimination and may subsequently interfere with tissue metabolism.[1] *Sushruta* and *Vagbhata* also describe incompatible dietary practices and emphasize their relevance to disease development.[2,3]

The concept is particularly relevant to contemporary dietary practices. Modern food habits increasingly include processed foods, repeated heating, irregular meal

patterns, highly combined meals and dietary practices that may not always correspond to individual digestive capacity or physiological requirements. Contemporary literature has consequently explored food–food interactions, food processing, food matrix effects, oxidative stress and metabolic consequences in ways that provide possible parallels to selected aspects of the *Ayurvedic* framework.[4,5]

The dermatological relevance of *Viruddha Ahara* is especially noteworthy. *Charaka* includes *Kushtha* and *Kilasa* among the diseases associated with *Viruddha Ahara*, while later *Ayurvedic* literature explain this relationship through *Rakta Dushti*, *Pitta* involvement, impaired *Agni* and the formation of *Ama*.[1,6,7] A pilot cross-sectional study has also reported higher incompatible-diet and dietary-habit scores among patients with acne and psoriasis than among controls, although the observational nature of the study prevents a causal conclusion.[8]

Thus, the contemporary relevance of *Viruddha Ahara* lies not merely in identifying individual food combinations but in understanding dietary compatibility as a multidimensional and individualized concept. The present review critically examines the classical foundation of *Viruddha Ahara*, its classification, proposed pathophysiological implications, dermatological relevance and the extent to which contemporary evidence can or cannot be used to interpret the classical concept.

AIM

To critically review the classical *Ayurvedic* concept of *Viruddha Ahara* and examine its contemporary relevance, with particular emphasis on its possible relationship with dermatological disorders.

OBJECTIVES

1. To review the classical description and classification of *Viruddha Ahara*.
2. To examine the *Ayurvedic* understanding of *Viruddha Ahara* in relation to *Agni*, *Dosha*, *Dhatu* and disease.
3. To analyze the classical association of *Viruddha Ahara* with *Kushtha* and other dermatological manifestations.
4. To review available clinical, observational and experimental evidence concerning incompatible dietary practices.
5. To critically interpret contemporary food–food and food-processing research in relation to selected *Ayurvedic* concepts.
6. To identify limitations in the existing evidence and areas requiring further research.

MATERIALS AND METHODS

Classical *Ayurvedic* literature cited in the reviewed publications, particularly *Charaka Samhita*, *Sushruta Samhita*, *Ashtanga Sangraha* and *Ashtanga Hridaya*, was considered for understanding the foundational concept and classification of *Viruddha Ahara*.[1-3]

Published literature concerning *Viruddha Ahara*, dietary incompatibility, dermatological disorders, food processing, food–food interactions and contemporary nutritional interpretation was examined.[4-10]

RESULTS

CLASSICAL CONCEPT OF *VIRUDDHA AHARA*

Ayurveda considers food to be compatible when it is appropriate to the individual's digestive capacity, constitution, environment, season, quantity, preparation and method of consumption. *Viruddha Ahara* therefore represents a broader concept than a simple "wrong food combination."[1-5]

Charaka explains that food may become incompatible when it is contrary to place, season, digestive capacity, quantity, habituation, *Dosha*, processing, potency, bowel habit, physiological state, sequence, therapeutic restrictions, cooking method, combination, personal preference, quality or dietary rules.[1]

The classical description emphasizes that incompatibility is contextual. The same substance may therefore not produce an identical effect in every individual. This principle is particularly important when translating the classical concept into modern clinical practice.

CLASSICAL DESCRIPTION

The following verses from *Charaka Samhita*, *Sutra Sthana* 26 describe the broad determinants of dietary incompatibility:

यच्चापि देशकालाग्निमात्रासात्म्यानिलादिभिः ।
संस्कारतो वीर्यतश्च कोष्ठावस्थाक्रमैरपि ॥
परिहारोपचाराभ्यां पाकात् संयोगतोऽपि च ।
विरुद्धं तच्च न हितं हृत्संपद्विधिभिश्च यत् ॥ [1]

Food may become unsuitable because of place, season, digestive capacity, quantity, habituation and *Dosha*-related considerations, as well as because of processing, potency, bowel constitution, physiological state and sequence. It may also become incompatible because of inappropriate precautions, therapeutic context, cooking, combination, palatability, quality or dietary method.[1]

This description demonstrates that *Viruddha Ahara* is fundamentally a concept of contextual incompatibility rather than merely a catalogue of prohibited combinations.

CLASSIFICATION OF VIRUDDHA AHARA

Charaka describes eighteen varieties of *Viruddha Ahara*.[1,4-6]

Table 1: Classical Types of Viruddha Ahara and Their General Interpretation

S. No.	Type	General interpretation	Classical/commonly cited example
1	*Desha Viruddha*	Incompatibility with geographical/environmental conditions	*Ruksha-Tikshna* substances in dry regions
2	*Kala Viruddha*	Incompatibility with season or time	*Sheeta-Ruksha* food in cold season
3	*Agni Viruddha*	Incompatibility with digestive capacity	Heavy food in *Mandagni*
4	*Matra Viruddha*	Inappropriate quantity or proportion	*Madhu* and *Ghrita* in equal quantity
5	*Satmya Viruddha*	Incompatibility with habituation/adaptation	Sudden use of food contrary to established *Satmya*
6	*Dosha Viruddha*	Food aggravating the individual's *Dosha*	*Dosha*-promoting diet in susceptible individuals
7	*Samskara Viruddha*	Incompatibility produced by processing	Improperly processed food
8	*Virya Viruddha*	Combination of substances with incompatible potency	*Sheeta* and *Ushna Virya* substances
9	*Koshtha Viruddha*	Incompatibility with bowel constitution	Inappropriate food quantity/quality for *Koshtha*
10	*Avastha Viruddha*	Incompatibility with physiological state	*Vata*-aggravating food after strenuous activity
11	*Krama Viruddha*	Inappropriate sequence of eating	Eating before elimination or without appetite
12	*Parihara Viruddha*	Failure to observe necessary post-food precautions	Inappropriate food after specific dietary exposure
13	*Upachara Viruddha*	Incompatibility with therapeutic regimen	Contradictory food during treatment
14	*Paka Viruddha*	Incompatibility due to improper cooking	Raw, overcooked or burnt food
15	*Samyoga Viruddha*	Incompatibility produced by combination	*Amla Rasa* with *Dugdha*
16	*Hridaya Viruddha*	Food contrary to individual liking/acceptability	Strongly disliked food
17	*Sampad Viruddha*	Incompatibility due to defective quality	Unripe, overripe or spoiled food
18	*Vidhi Viruddha*	Inappropriate manner of eating	Failure to follow dietary rules

The classification demonstrates that the classical concept encompasses several dimensions that would now be described separately, including food composition, preparation, dose, timing, individual tolerance and eating behavior.[1,4-6]

CLASSICAL EXAMPLES AND THEIR CLINICAL INTERPRETATION

Among the frequently discussed examples is the combination of *Madhu* (honey) and *Ghrita* (ghee) in equal quantity, classified under *Matra Viruddha*. The incompatibility is related to proportion rather than the inherent harmfulness of either substance individually.[1,5]

Similarly, milk combined with substances possessing contradictory properties is discussed under *Samyoga* or *Virya*-related incompatibility in various *Ayurvedic* sources. Fish with milk and *Amla Rasa* with milk are among the combinations frequently cited in secondary literature.[2,5,6]

Samskara Viruddha highlights the importance of processing. *Charaka* illustrates this through food that becomes unsuitable because of the method or material used during preparation. *Paka Viruddha* further emphasizes that improper cooking, including undercooking, overcooking or burning, may alter the quality of food. [1,5]

Krama, *Avastha* and *Agni*-related incompatibilities demonstrate that the same food may not be appropriate under all physiological circumstances. Food taken without appetite, immediately following strenuous activity or in a quantity beyond digestive capacity represents a broader dietary incompatibility than a simple food–food combination.[1,6]

VIRUDDHA AHARA AND DISEASE

Charaka associates *Viruddha Ahara* with a broad spectrum of disorders, including *Visarpa*, *Visphotaka*, *Bhagandara*, *Murchha*, *Mada*, *Adhmana*, *Galagraha*, *Pandu*, *Amavisha*, *Kilasa*, *Kushtha*, *Grahani*, *Shotha*, *Amlapitta*, *Jwara* and *Pinas*, along with reproductive disorders and other severe manifestations.[1,6]

The inclusion of *Kushtha* and *Kilasa* is particularly relevant to dermatology. The classical list should, however, be interpreted within the *Ayurvedic* disease framework rather than assuming direct one-to-one equivalence between every classical diagnosis and a modern dermatological diagnosis.[1,6,7]

The reviewed literature proposes that persistent incompatible dietary practices may contribute to *Dosha* disturbance and impairment of normal tissue metabolism. The proposed sequence commonly involves impaired digestion, formation of improperly processed nutritional

substrate, *Dosha* disturbance and subsequent involvement of *Dhatus* and *Srotas*.[4-7]

VIRUDDHA AHARA, AGNI AND *AMA*

Agni occupies a central position in *Ayurvedic* understanding of nutrition and disease. Food must be appropriately digested before it can contribute to the formation and nourishment of *Dhatus*. The reviewed *Ayurvedic* literature therefore considers *Mandagni* and inappropriate food intake important intermediate factors in the pathogenesis attributed to *Viruddha Ahara*.[4-6]

Consumption of food in excessive quantity, without appetite, in unsuitable combinations or in a form incompatible with the individual's digestive capacity may interfere with normal digestion. In the *Ayurvedic* framework, incompletely processed material is associated with *Ama* and may participate in subsequent *Dosha* and *Dhatu* disturbance.[4-6]

The concept is individualized. *Agni* varies among individuals, and food that may be tolerated by one person may not be equally appropriate for another. Similarly, *Koshtha*, *Satmya*, *Prakriti*, season and physiological state modify dietary suitability.[1,4-6]

This individualization is an important distinction between the *Ayurvedic* concept and simplistic modern lists of "good" and "bad" food combinations.

VIRUDDHA AHARA AND *RAKTA DUSHTI*

The dermatology-focused literature has proposed a relationship between *Viruddha Ahara* and *Rakta Dushti*. According to the *Ayurvedic* model discussed in the reviewed literature, inappropriate food may result in improper formation of *Ahara Rasa*, followed by disturbance of *Rakta Dhatu*. *Rakta* and *Pitta* have an established relationship in *Ayurvedic* pathophysiology, while *Bhrajaka Pitta* is described in relation to the skin.[7]

The pathway from dietary factors through *Rasa* and *Rakta* disturbance toward involvement of *Pitta* and skin manifestations. The authors specifically discuss *Visarpa*, *Pidika*, *Kotha*, *Charmadala*, *Kushtha*, *Kandu* and *Vaivarnya* in the context of *Rakta Dushti*.[7]

This should be regarded as a classical pathophysiological interpretation rather than a clinically proven causal pathway. Current evidence does not establish that every individual consuming a classically described *Viruddha Ahara* will develop *Rakta Dushti* or a dermatological disease.

VIRUDDHA AHARA AND DERMATOLOGICAL DISORDERS

The relationship between diet and skin health is complex. Dermatological disorders are multifactorial and may involve genetic susceptibility, immune dysregulation, environmental exposures, hormonal influences, microbial factors, metabolic status and lifestyle. Therefore, *Viruddha Ahara* should be considered as a possible dietary factor within a broader clinical assessment rather than an isolated universal cause of skin disease.

The oxidative stress as one possible modern framework through which dietary imbalance could theoretically contribute to skin pathology. The article describes a sequence involving altered metabolism, imbalance between oxidants and antioxidants, oxidative stress and chronic inflammation, with possible effects on collagen and cellular function.[7]

Oxidative stress is indeed discussed in the broader dermatological literature, but this does not establish that classical *Viruddha Ahara* directly produces oxidative stress in humans. The connection remains a hypothesis requiring prospective and mechanistic investigation.

CLINICAL EVIDENCE IN DERMATOLOGY

A cross-sectional pilot study by Kulkarni et al. assessed incompatible dietary behavior among patients with skin diseases. The study included patients with different dermatological disorders, including acne and psoriasis, and compared dietary behavior with controls. The reviewed dermatological literature reports higher incompatible-diet and dietary-habit scores among acne and psoriasis patients compared with controls.[8]

The findings are relevant because they support an association between dietary behavior and selected skin disorders. However, cross-sectional studies cannot determine whether incompatible dietary practices preceded the disease, resulted from the disease, reflected differences in lifestyle, or were influenced by other confounding factors. Therefore, these findings should be interpreted as hypothesis-generating rather than proof of causation.

Earlier prevalence-based work has also reported frequent exposure to *Viruddha Ahara* among individuals attending an *Ayurvedic* clinical setting, along with observations concerning *Agni* and *Raktavaha Srotas*. Such studies provide useful information regarding dietary practices but have limitations related to study design, population selection and absence of appropriate causal inference.[9]

EXPERIMENTAL EVIDENCE: BANANA AND MILK

The combination of banana and milk has been repeatedly discussed in the *Ayurvedic* literature under *Samyoga Viruddha*. An experimental study evaluated repeated administration of banana and milk in Wistar rats. The study reported statistically significant changes in selected biochemical parameters, including SGOT and urea, together with histopathological alterations involving organs such as the liver, heart and spleen.[10]

These findings provide preliminary experimental evidence that the tested combination may produce measurable biological effects under the experimental conditions used. However, animal findings cannot be directly extrapolated to clinical toxicity in humans. The dose, duration, preparation and biological context of the experiment must also be considered.

Consequently, the banana–milk study should be interpreted as experimental evidence warranting further investigation rather than definitive evidence that the combination is universally harmful to humans.

CONTEMPORARY FOOD–FOOD INTERACTIONS

Modern nutritional science recognizes that foods interact with one another and that the physiological response to a food cannot always be predicted from isolated nutrients. Food matrix, processing, nutrient availability and interactions among food components can influence digestion and bioavailability.[11,12]

The concept of food synergy similarly emphasizes that foods are consumed as complex mixtures rather than isolated nutrients. The biological effect of a dietary pattern may therefore differ from the predicted effect of individual nutrients considered separately.[11]

This provides a conceptual parallel with *Ayurveda*, where food is evaluated in relation to its properties, combination, preparation, quantity, timing and individual suitability. However, conceptual similarity should not be mistaken for direct scientific validation of the classical framework.

TEA AND MILK: AN EXAMPLE OF COMPLEX FOOD INTERACTION

Tea and milk are frequently cited in discussions of *Viruddha Ahara*. The interaction between tea polyphenols and milk proteins, particularly caseins and interprets this as a possible reduction in the availability of tea catechins.[7]

Experimental and human literature concerning tea–milk interaction, however, has produced mixed findings. Studies have examined catechin bioavailability under different experimental conditions and the overall evidence does not justify the blanket conclusion that tea with milk is harmful.[13-15]

This example illustrates an important principle for contemporary interpretation of *Viruddha Ahara:* a biochemical interaction does not necessarily equate to toxicity or disease. The clinical significance of an interaction depends on magnitude, dose, frequency, bioavailability and the physiological context.

PROCESSING AND PAKA/SAMSKARA VIRUDDHA

Ayurveda gives considerable importance to processing. *Samskara* is understood as a process capable of altering the qualities of a substance. Depending on the method used, processing may improve, reduce or alter the characteristics of food.[1,7]

Modern nutritional research similarly demonstrates that cooking can alter nutrient content and bioavailability. Different cooking methods may produce different levels of nutrient retention, with factors such as temperature, duration and water exposure influencing the final composition of food.[16]

Food processing can also generate undesirable compounds under certain conditions. Acrylamide formation during high-temperature cooking of carbohydrate-rich foods has been experimentally demonstrated, providing an example of how cooking conditions can change the chemical characteristics of food.[17]

Repeated heating of cooking oils has also been investigated because high-temperature and repeated heating processes can produce oxidation products and other potentially harmful compounds.[18,19]

These findings do not prove the classical concept of *Paka* or *Samskara Viruddha*, but they demonstrate that the method of food preparation can materially alter its chemical and biological properties.

FOOD MATRIX AND BIOAVAILABILITY

The modern concept of the food matrix is particularly relevant when interpreting *Viruddha Ahara*. Nutrients and phytochemicals are not consumed in isolation; their absorption and stability can be influenced by the physical and chemical environment created by the complete food.[12]

Food synergy research further emphasizes interactions among food components and suggests that the health effects of a dietary pattern cannot always be predicted by examining nutrients independently.[11]

From an *Ayurvedic* perspective, this may be viewed as conceptually compatible with the principle that *Rasa*, *Guna*, *Virya*, *Vipaka*, *Samskara* and *Samyoga* collectively influence the effect of food. Nevertheless, the two frameworks operate within different theoretical systems and should not be treated as interchangeable.

INDIVIDUALIZATION OF DIETARY COMPATIBILITY

One of the most clinically valuable features of *Viruddha Ahara* is its individualized nature. Classical classification includes *Agni*, *Satmya*, *Koshtha*, *Dosha*, *Avastha*, *Desha* and *Kala*, demonstrating that dietary suitability is not independent of the individual or environment.[1,4-6]

For example, the same quantity and quality of food may be tolerated differently according to digestive capacity. Likewise, dietary requirements vary according to activity, season and physiological state.This principle is especially relevant in clinical dermatology. A dietary

history should therefore not be restricted to asking whether a patient consumes a particular food. It should include frequency, quantity, combinations, timing, preparation, tolerance, digestive symptoms, bowel pattern, seasonal variation and relationship between dietary exposure and disease activity.

DIETARY PATTERNS AND CONTEMPORARY RELEVANCE

The reviewed literature highlights substantial changes in modern dietary patterns, including increased use of processed foods, fast foods, irregular eating patterns and combinations not traditionally emphasized in classical texts.[5,6]

The contemporary interpretation of *Viruddha Ahara* should therefore not be limited to reproducing classical examples mechanically. Rather, the underlying principles appropriateness of food, preparation, quantity, timing, combination and individual suitability may be used as a framework for examining modern dietary behavior.

At the same time, claims that every modern food combination is "*Viruddha*" require evidence. Contemporary dietary science does not support several simplistic food-combining rules presented in some secondary literature, and such claims should not be incorporated into clinical practice without appropriate evidence.

CLINICAL APPROACH IN *AYURVEDIC* DERMATOLOGY

In a patient presenting with a chronic or recurrent dermatological disorder, dietary assessment may be incorporated alongside conventional dermatological evaluation.

A clinically relevant assessment may include:

1. Identification of repetitive dietary exposures.
2. Assessment of *Agni* and symptoms suggestive of impaired digestion.
3. Evaluation of *Satmya* and individual tolerance.
4. Assessment of quantity and meal timing.
5. Review of food combinations and preparation methods.
6. Assessment of seasonal and environmental dietary patterns.
7. Evaluation of the temporal relationship between dietary exposure and disease activity.
8. Identification of other established dietary, metabolic and lifestyle factors.




Figure 1: Conceptual framework of Viruddha Ahara in dermatological health.

Dietary modification should preferably be individualized rather than based on indiscriminate elimination of multiple food groups. Excessive restriction may itself compromise nutritional adequacy and quality of life.

PREVENTIVE AND THERAPEUTIC IMPLICATIONS

Classical *Ayurvedic* literature emphasizes *Nidana Parivarjana* (avoidance of causative factors) in the management of disease. The reviewed literature similarly emphasizes avoiding inappropriate dietary practices as an important preventive principle.[6,7]

In established disease, dietary correction should not replace appropriate diagnosis and treatment. Rather, it may be incorporated as an adjunct according to the individual's clinical condition, digestive status and dietary requirements.

The classical descriptions of *Shodhana* and *Shamana* in the context of diseases attributed to *Viruddha Ahara* should also be interpreted according to the patient's condition and classical indications rather than applied solely because a patient reports an incompatible dietary exposure.[1,6]

DISCUSSION

Viruddha Ahara is best understood as a multidimensional *Ayurvedic* model of dietary incompatibility. Its uniqueness lies in the fact that incompatibility is determined not simply by what is eaten, but by how, when, in what quantity, in what combination and by whom it is consumed.

The classical framework therefore provides a much broader dietary assessment model than the popular

modern interpretation of "food combinations." *Agni*, *Satmya*, *Koshtha*, *Avastha*, *Desha* and *Kala* make the concept inherently individualized.

The dermatological application of this concept is particularly interesting because Ayurveda places considerable importance on the relationship between *Ahara*, *Rasa*, *Rakta*, *Pitta* and *Twak*. The classical association of *Kushtha* and *Kilasa* with *Viruddha Ahara* provides a textual basis for investigating dietary factors in skin disease. However, this should remain a clinically informed hypothesis rather than being presented as established causation.

The modern evidence reviewed in the present work provides several areas of conceptual convergence. Food processing can alter chemical composition; food matrices can influence bioavailability; food components can interact; and repeated high-temperature processing can generate undesirable compounds. These observations demonstrate that the biological effects of food depend on more than its individual nutrient content.

Nevertheless, scientific caution is essential. A biochemical interaction does not automatically represent toxicity, and an association between a dietary habit and a disease does not establish causality. Similarly, experimental findings in animals cannot be directly translated into clinical recommendations for humans.

The most defensible contemporary interpretation is therefore to consider *Viruddha Ahara* as a framework for investigating dietary compatibility and individual response. It can encourage clinicians to move beyond the simplistic question of "which food is harmful?" toward the more meaningful questions of quantity, frequency, preparation, combination, timing, digestive capacity and individual tolerance.

For *Ayurvedic* dermatology, this approach is particularly valuable. Dietary history can become a structured component of clinical assessment while maintaining appropriate diagnostic standards and avoiding unnecessary dietary restriction.
The future of *Viruddha Ahara* research should therefore focus on operationalizing the classical categories and testing them systematically rather than attempting to prove the entire classical concept through isolated modern biochemical findings. Such research may provide a more meaningful bridge between Ayurvedic dietetics and contemporary nutritional science.

CONCLUSION

Viruddha Ahara represents a comprehensive *Ayurvedic* concept of dietary incompatibility extending beyond simple food combinations to include quantity, processing, potency, timing, sequence, environment, digestive capacity and individual suitability. Classical literature associates inappropriate dietary practices with a wide range of disorders and specifically includes *Kushtha* and other conditions relevant to dermatology.

Its contemporary relevance lies primarily in its individualized approach to dietary assessment. Available scientific literature demonstrates that food composition, processing, food matrix and dietary combinations can influence biological responses, but the current evidence is insufficient to establish direct equivalence between these observations and classical *Viruddha Ahara*.

In dermatological practice, *Viruddha Ahara* may therefore be considered a potential dietary framework for history taking and individualized lifestyle assessment rather than a universal list of prohibited foods.

REFERENCES

1. Charaka. Charaka Samhita (Vaidyamanorama Hindi Commentary). Shukla V, Tripathi RD, editors. 1st ed. Delhi: Chaukhamba Sanskrit Pratishthan, 2015. Sutra Sthana, 26/81-106.
2. Sushruta. Sushruta Samhita. Shastri AD, editor. Varanasi: Chaukhamba Sanskrit Sansthan. Sutra Sthana, 20/20.
3. Vagbhata. Ashtanga Sangraha (Saroj Hindi Commentary). Tripathi RD, editor. 1st ed. Delhi: Chaukhamba Sanskrit Pratishthan; 2001. Sutra Sthana.
4. Sabnis M. Viruddha Ahara: A critical view. Ayu, 2012; 33(3): 332-336. doi:10.4103/0974-8520.108817.
5. Talekar M, Mandal SK, Sharma R. Concept of Viruddha Ahara: A review. J Ayurveda, 2017; 11(3): 108-114.
6. Meena KK, Kapoor R, Chahar DS. Review article on Viruddha Ahara. J Ayurveda Integr Med Sci, 2023; 8(7): 124-127. doi:10.21760/jaims.8.7.23.
7. Gusain T, Tomar BS, Chawla SK. Viruddh Aahar role as an etiological cause of Skin Diseases. J Ayurveda Integr Med Sci, 2022; 7(11): 118-126.
8. Kulkarni M, Keny D, Potey AV, Tripathi RK. A cross-sectional study to assess the incompatible dietary behavior of patients suffering from skin diseases: A pilot study. J Ayurveda Integr Med, 2016; 7(2): 113-118. doi:10.1016/j.jaim.2016.06.001.
9. Talekar M, Mandal SK. Prevalence of Viruddha Ahara in Patients Attending Arogyashala of NIA and Its Effects on Health. Int J Adv Ayur Yoga Unani Siddha Homeopathy, 2015; 4: 297-303.
10. Shweta K, Sudhakar, Bhat KS. Toxicological evaluation of banana and milk combination as incompatible diet - an experimental exploration of Samyoga Viruddha concept. J Ayurveda Integr Med, 2021; 12(3): 427-434. doi:10.1016/j.jaim.2021.02.005.
11. Jacobs DR Jr, Gross MD, Tapsell LC. Food synergy: An operational concept for understanding nutrition. Am J Clin Nutr, 2009; 89(5): 1543S-1548S. doi:10.3945/ajcn.2009.26736B.

12. Mishra AK, Singh A, Singh N, Rawat H, Kumar V, Jagtap C, et al. The influence of food matrix on the stability and bioavailability of phytochemicals: A comprehensive review. Food Humanit, 2024; 2: 100202. doi:10.1016/j.foohum.2023.12.010.
13. van het Hof KH, Kivits GAA, Weststrate JA, Tijburg LBM. Bioavailability of catechins from tea: the effect of milk. Eur J Clin Nutr, 1998; 52(5): 356-359. doi:10.1038/sj.ejcn.1600568.
14. van der Burg-Koorevaar MCD, Miret S, Duchateau GSMJE. Effect of milk and brewing method on black tea catechin bioaccessibility. J Agric Food Chem, 2011; 59(14): 7752-7758. doi:10.1021/jf2015232.
15. Xie Y, Kosińska A, Xu H, Andlauer W. Milk enhances intestinal absorption of green tea catechins in in vitro digestion/Caco-2 cells model. Food Res Int, 2013; 53(2): 793-800. doi:10.1016/j.foodres.2012.07.063.
16. Lee S, Choi Y, Jeong HS, Lee J, Sung J. Effect of different cooking methods on the content of vitamins and true retention in selected vegetables. Food Sci Biotechnol, 2018; 27(2): 333-342. doi:10.1007/s10068-017-0281-1.
17. Tareke E, Rydberg P, Karlsson P, Eriksson S, Törnqvist M. Acrylamide: a cooking carcinogen? Chem Res Toxicol, 2000; 13(6): 517-522. doi:10.1021/tx9901938.
18. Scianò F, Bernardoni BL, D'Agostino I, Ferrara G, Tafi A, Garavaglia S, et al. Toxic aldehydes in cooking vegetable oils: generation, toxicity and disposal methods. Food Chem X., 2025; 29: 102744. doi:10.1016/j.fochx.2025.102744.
19. Leong X, Ng C, Jaarin K, Mustafa M. Effects of repeated heating of cooking oils on antioxidant content and endothelial function. Austin J Pharmacol Ther, 2015; 3: 1-7.
20. Cherif A, Slama A. Stability and change in fatty acids composition of soybean, corn, and sunflower oils during the heating process. J Food Qual, 2022; 2022: 1-17.
21. Sahu A, Inchulkar SR, Kaushik Y, Sharma K. Role of Viruddha Ahara in dermatological disorder and its prevention. J Ayurveda Integr Med Sci, 2020; 5(5): 472-476. doi:10.21760/jaims.v5i05.1085.
22. Ojha A, Diwan R, Upadhyay B. A review of Viruddha Ahara described in Kushtha (Skin Disease) referred to in the text of Brihattrayi. J Ayurveda Integr Med Sci, 2024; 9(5): 166-168. doi:10.21760/jaims.9.5.26.
23. Bansal A, Marolia P, Sharma MM, Prakash V, Dhakad S. The Consequences of Consuming Incompatible Foods: A Review of Virudh Ahara in Skin Diseases. J Ayurveda Integr Med Sci, 2025; 10(2): 225-230. doi:10.21760/jaims.10.2.31.
24. Bagde A, Sawant R, Nikumbh M, Kale A. Viruddha Ahara-incompatible foods in Ayurveda. Ayurpharm Int J Ayur Alli Sci, 2013; 2(7): 203-211.